

MiBOXER[®]

Mi • Light Subordinate New Brand

12W RGB+CCT LED Bulb

Model No.: FUT105

Features



RGB+CCT
16 Millions of colors to choose



Color temperature
2700~6500K



Dimmable
Saturation control



2.4G RF wireless transmission
technology



Signal transmitting &
Modes synchronization



Remote control
Control distance 30m



Smart phone APP control
(2.4GHz gateway is needed)



Support third party voice control
(2.4GHz gateway is needed)

Parameters

Model No: FUT105

Power: 12W

Voltage: AC100~240V 50/60Hz

Color Temp.: 2700~6500K

Luminous Flux: 1100LM

Light Efficiency: 90/W

CRI: >80


PF: >0.5

Lifespan: 50000 Hours

Beam angle: 220°

Size: $\Phi 74 \times 140$ mm

Control Distance: 30m



Link/Unlink

Compatible with these remote controls (Purchased separately)



FUT089



FUT092



FUT088




FUT096



B8



B4 / T4



B3 / T3



B0



WL-Box1

 **NOTE:**

Lighting can be working after linking with remote;
for more details, pls read the remote instruction.

Dynamic Mode Sheet


Number	Dynamic Mode	Brightness / Saturation / Speed
1	Mardi Gras	Adjustable
2	Automatic color change	
3	Sam	
4	Gemstone	
5	Twilight	
6	American	
7	Fat Tuesday	
8	Party	
9	Slow Color Splash	

Signal transmitting

One bulb can transmit the signals from the remote control to another bulb within 30m, as long as there is a bulb within 30m, the remote control distance can be limitless.

Modes synchronization

Different bulb can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.



Attention

1. Make sure the voltage is between AC100~240V.
2. When install the light, pls switch off the power to make sure the safty.
3. The working power is high voltage alternating current, so it must be far away from people and must with ground connection.
4. Avoid using under high temperature or moisture.



www.futlight.com

Made in China



Signal transmitting &
Modes synchronization